ELSEVIER

European Journal of Pharmacology 331 (1997) 341–343

ejp

Author index

Abdi, A. and Johns, E.J.
The effect of angiotensin II receptor antagonists on kidney function in two-kidney, two-clip Goldblatt hypertensive rats (331) 185
Akiyama, K., see Moriyama, N. (331) 39
Ala, Y., Morin, D., Mahé, E., Cotte, N., Mouillac, B., Jard, S., Barberis, C., Tribollet, E., Dreifuss, J.-J., Sawyer, W.H., Wo, N.C., Chan, W.Y., Kolodziejczyk, A.S., Cheng, L.L. and Manning, M.
Properties of a new radioiodinated antagonist for human vasopressin V_2 and V_{1a} receptors (331) 285
Alicke, B., see Bartolome, J.V. (331) 145
Ashby Jr., C.R., see Morgan, A.E. (331) R1

Baffi, J.S., see Palkovits, M. (331) 53
Bakthavachalam, V., see Kula, N.S. (331) 333
Baldessarini, R.J., see Kula, N.S. (331) 333
Barberis, C., see Ala, Y. (331) 285
Bartolome, J.V., Alicke, B. and Bartolome, M.B.
Central administration of morphine inhibits brain and liver ornithine decarboxylase activity in neonatal rats: Involvement of transcription- and non-transcription-dependent mechanisms (331) 145
Bartolome, M.B., see Bartolome, J.V. (331) 145
Bell, R.L., see Hulkower, K.I. (331) 79
Berg, A., see Koller, M.-E. (331) 259
Berzsenyi, P., see Palkovits, M. (331) 53
Borowicz, K.K., Kleinrok, Z. and Czuczwar, S.J.
Influence of 7-nitroindazole on the anticonvulsive action of conventional antiepileptic drugs (331) 127
Bradley, K.J. and Headley, P.M.
Effect of agmatine on spinal nociceptive reflexes: Lack of interaction with α_2-adrenoceptor or μ-opioid receptor mechanisms (331) 133
Breithecker, K., see Kretschmer, B.D. (331) 109
Breschi, M.C., see Nieri, P. (331) 205
Burakoff, R., see Homaidan, F.R. (331) 199

Cabrini, D.A. and Calixto, J.B.
Characterization of des-Arg^9-bradykinin-induced contraction in guinea-pig gallbladder in vitro (331) 31
Calapai, G., see Nava, F. (331) 267
Calixto, J.B., see Cabrini, D.A. (331) 31
Calixto, J.B., see Saleh, T.S.F. (331) 43
Caputi, A.P., see Nava, F. (331) 267
Casalotti, S.O., see Siripurkpong, P. (331) 227
Castel, H., see Le Foll, F. (331) 303
Cazin, L., see Le Foll, F. (331) 303
Chan, W.Y., see Ala, Y. (331) 285
Chang, A., see King, M. (331) R5
Chenard, B., see Menniti, F. (331) 117
Cheng, L.L., see Ala, Y. (331) 285
Chindaduangratana, C., see Siripurkpong, P. (331) 227
Collins, M., see Menniti, F. (331) 117
Cotte, N., see Ala, Y. (331) 285
Cuzzocrea, S., see Nava, F. (331) 267
Czuczwar, S.J., see Borowicz, K.K. (331) 127

Danner, S. and Lohse, M.J.
Cell type-specific regulation of β_2-adrenoceptor mRNA by agonists (331) 73
De Backer, J.-P., see Vanderheyden, P.M.L. (331) 275
De Graaf, G.J., see Jager, L.P. (331) 325
Demirakça, S., see Dötsch, J. (331) 313
Demura, H., see Seki, T. (331) 87
De Sarro, A., see Nava, F. (331) 267
Dewey, S.L., see Morgan, A.E. (331) R1
Dirig, D.M., Konin, G.P., Isakson, P.C. and Yaksh, T.L.
Effect of spinal cyclooxygenase inhibitors in rat using the formalin test and in vitro prostaglandin E_2 release (331) 155
Dittrich, K., see Dötsch, J. (331) 313
Dobolyi, A., see Juhász, G. (331) 139
Dötsch, J., Hänze, J., Dittrich, K., Demirakça, S., Haberberger, R. and Rascher, W.
Stimulation of neuropeptide Y release in rat pheochromocytoma cells by nitric oxide (331) 313
Dreifuss, J.-J., see Ala, Y. (331) 285
Drukarch, B., see Pinna, A. (331) 23
Ducat, M., see Menniti, F. (331) 117

Facciolà, G., see Nava, F. (331) 267
Fekete, M.I.K., Horváth, K., Kedves, R., Máté, I., Székely, J.I. and Szentkuti, E.
Selective interaction of homophtalazine derivatives with morphine (331) 175
Franková, D., see Zídek, Z. (331) 245
Fujii, S., Sekino, Y., Kuroda, Y., Sasaki, H., Ito, K.-I. and Kato, H.
8-Cyclopentyltheophylline, an adenosine A_1 receptor antagonist, inhibits the reversal of long-term potentiation in hippocampal CA1 neurons (331) 9

Gaster, L., see Hagan, J.J. (331) 169
Giuliani, G., see Nava, F. (331) 267
Guo, Y., Mochizuki, T., Morii, E., Kitamura, Y. and Maeyama, K.
Role of mast cell histamine in the formation of rat paw edema: A microdialysis study (331) 237
Gustafsson, L.E., see Iversen, H.H. (331) 213

Haberberger, R., see Dötsch, J. (331) 313
Hagan, J.J., Slade, P.D., Gaster, L., Jeffrey, P., Hatcher, J.P. and Middlemiss, D.N.
Stimulation of 5-HT_{1B} receptors causes hypothermia in the guinea pig (331) 169
Hagiwara, H., see Seki, T. (331) 87
Hamaguchi, A., Kim, S., Wanibuchi, H. and Iwao, H.
Imidapril inhibits increased transforming growth factor-β1 expression in remnant kidney model (331) 27
Hänze, J., see Dötsch, J. (331) 313
Harnyuttanakorn, P., see Siripurkpong, P. (331) 227
Hatcher, J.P., see Hagan, J.J. (331) 169
Headley, P.M., see Bradley, K.J. (331) 133
Hirose, S., see Seki, T. (331) 87
Holsboer, F., see Schöbitz, B. (331) 97

Holý, A., see Zídek, Z. (331) 245
Homaidan, F.R., Tripodi, J., Zhao, L. and Burakoff, R.
Regulation of ion transport by histamine in mouse cecum (331) 199
Horan, B., see Morgan, A.E. (331) R1
Horváth, E.J., see Palkovits, M. (331) 53
Horváth, K., see Fekete, M.I.K. (331) 175
Hulkower, K.I., Otis, E.R., Wernimont, A.K. and Bell, R.L.
Stimulus dependence of non-steroidal antiinflammatory drug potency in a cellular assay of prostaglandin H synthase-2 (331) 79

Imaizumi, Y., see Ishii, Y. (331) 295
Imaki, T., see Seki, T. (331) 87
Isakson, P.C., see Dirig, D.M. (331) 155
Ishida, N., see Moriyama, N. (331) 39
Ishii, Y., Muraki, K., Kurihara, A., Imaizumi, Y. and Watanabe, M.
Effects of sematilide, a novel class III antiarrhythmic agent, on membrane currents in rabbit atrial myocytes (331) 295
Ito, K.-I., see Fujii, S. (331) 9
Iversen, H.H., Wiklund, N.P., Olgart, C. and Gustafsson, L.E.
Nerve stimulation-induced nitric oxide release as a consequence of muscarinic M_1 receptor activation (331) 213
Iwao, H., see Hamaguchi, A. (331) 27

Jager, L.P., De Graaf, G.J. and Widjaja-Greefkes, H.C.A.
Differential effects of nitrofurans on the production/release of steroid hormones by porcine adrenocortical cells in vitro (331) 325
Jard, S., see Ala, Y. (331) 285
Jeffrey, P., see Hagan, J.J. (331) 169
Johns, E.J., see Abdi, A. (331) 185
Juhász, G., Kékesi, K.A., Nyitrai, G., Dobolyi, A., Krogsgaard-Larsen, P. and Schousboe, A.
Differential effects of nipecotic acid and 4,5,6,7-tetrahydro-isoxazolo[4,5-*c*]pyridin-3-ol on extracellular γ-aminobutyrate levels in rat thalamus (331) 139

Kankaanranta, H., see Li, L. (331) 221
Kato, H., see Fujii, S. (331) 9
Kawabe, K., see Moriyama, N. (331) 39
Kebabian, J.W., see Kula, N.S. (331) 333
Kedves, R., see Fekete, M.I.K. (331) 175
Kékesi, K.A., see Juhász, G. (331) 139
Kilbourn, M. and Sherman, P.
In vivo binding of (+)-α-[^{3}H]dihydrotetrabenazine to the vesicular monoamine transporter of rat brain: bolus vs. equilibrium studies (331) 161
Kim, S., see Hamaguchi, A. (331) 27
King, M., Pan, Y.-X., Mei, J., Chang, A., Xu, J. and Pasternak, G.W.
Enhanced κ-opioid receptor-mediated analgesia by antisense targeting the σ_1 receptor (331) R5
Kitamura, Y., see Guo, Y. (331) 237
Kleinrok, Z., see Borowicz, K.K. (331) 127
Koch, M., see Kretschmer, B.D. (331) 109
Koller, M.-E., Berg, A., Rodt, S.Å., Westerberg, E. and Reed, R.K.
α-Trinositol prevents increased negativity of interstitial fluid pressure in rat skin and trachea induced by dextran anaphylaxis (331) 259
Kolodziejczyk, A.S., see Ala, Y. (331) 285
Konin, G.P., see Dirig, D.M. (331) 155
Kotchabhakdi, N., see Siripurkpong, P. (331) 227
Kovács, A.D. and Szabó, G.
GYKI 53655, a 2,3-benzodiazepine, non-competitively protects cultured neurones against AMPA toxicity (331) 93
Kratzer, U., see Kretschmer, B.D. (331) 109
Kretschmer, B.D., Kratzer, U., Breithecker, K. and Koch, M.
ACEA 1021, a glycine site antagonist with minor psychotomimetic and amnestic effects in rats (331) 109
Krogsgaard-Larsen, P., see Juhász, G. (331) 139
Kula, N.S., Baldessarini, R.J., Kebabian, J.W., Bakthavachalam, V. and Xu, L.
RBI-257: A highly potent dopamine D_4 receptor-selective ligand (331) 333
Kurihara, A., see Ishii, Y. (331) 295
Kuroda, Y., see Fujii, S. (331) 9
Kwan, C.-Y., see Leung, Y.-M. (331) 337

Lazzeri, N., see Nieri, P. (331) 205
Le Foll, F., Louiset, E., Castel, H., Vaudry, H. and Cazin, L.
Electrophysiological effects of various neuroactive steroids on the $GABA_A$ receptor in pituitary melanotrope cells (331) 303
Leung, Y.-M., Kwan, C.-Y. and Loh, T.-T.
Spontaneous Mn^{2+} entry is specifically inhibited by calyculin A in human leukemic HL-60 cells (331) 337
Li, L., Kankaanranta, H., Vaali, K., Paakkari, I. and Vapaatalo, H.
Econazole, miconazole and SK&F 96365 inhibit depolarization-induced and receptor-operated contraction of guinea-pig isolated trachea in vitro (331) 221
Loh, T.-T., see Leung, Y.-M. (331) 337
Lohse, M.J., see Danner, S. (331) 73
Louiset, E., see Le Foll, F. (331) 303

Maeyama, K., see Guo, Y. (331) 237
Mahé, E., see Ala, Y. (331) 285
Manning, M., see Ala, Y. (331) 285
Martinotti, E., see Nieri, P. (331) 205
Máté, I., see Fekete, M.I.K. (331) 175
Medeiros, Y.S., see Saleh, T.S.F. (331) 43
Mei, J., see King, M. (331) R5
Menniti, F., Chenard, B., Collins, M., Ducat, M., Shalaby, I. and White, F.
CP-101,606, a potent neuroprotectant selective for forebrain neurons (331) 117
Middlemiss, D.N., see Hagan, J.J. (331) 169
Misawa, M., see Suzuki, T. (331) 1
Mochizuki, T., see Guo, Y. (331) 237
Morelli, M., see Pinna, A. (331) 23
Morgan, A.E., Horan, B., Dewey, S.L. and Ashby Jr., C.R.
Repeated administration of 3,4-methylenedioxymethamphetamine augments cocaine's action on dopamine in the nucleus accumbens: A microdialysis study (331) R1
Mori, T., see Suzuki, T. (331) 1
Morii, E., see Guo, Y. (331) 237
Morin, D., see Ala, Y. (331) 285
Moriyama, N., Akiyama, K., Murata, S., Taniguchi, J., Ishida, N., Yamazaki, S. and Kawabe, K.
KMD-3213, a novel α_{1A}-adrenoceptor antagonist, potently inhibits the functional α_1-adrenoceptor in human prostate (331) 39
Mouillac, B., see Ala, Y. (331) 285
Muraki, K., see Ishii, Y. (331) 295
Murata, S., see Moriyama, N. (331) 39

Nagase, H., see Suzuki, T. (331) 1
Naruse, K., see Seki, T. (331) 87
Naruse, M., see Seki, T. (331) 87
Nava, F., Calapai, G., Facciolà, G., Cuzzocrea, S., Giuliani, G., De Sarro, A. and Caputi, A.P.
Melatonin effects on inhibition of thirst and fever induced by lipopolysaccharide in rat (331) 267
Nieri, P., Lazzeri, N., Martinotti, E. and Breschi, M.C.
Histaminic bronchospasm potentiated by adenosine: Investigation of the mechanisms (331) 205
Nishikawa, T., see Shirayama, Y. (331) 319
Nyitrai, G., see Juhász, G. (331) 139

Olgart, C., see Iversen, H.H. (331) 213
Otis, E.R., see Hulkower, K.I. (331) 79

Paakkari, I., see Li, L. (331) 221
Palkovits, M., Baffi, J.S., Berzsenyi, P. and Horváth, E.J.
Anxiolytic homophthalazines increase Fos-like immunoreactivity in selected brain areas of the rat (331) 53
Pan, Y.-X., see King, M. (331) R5
Pasternak, G.W., see King, M. (331) R5
Perretti, M., see Wheller, S.K. (331) 65
Pezeshki, G., see Schöbitz, B. (331) 97
Pinna, A., Morelli, M., Drukarch, B. and Stoof, J.C.
Priming of 6-hydroxydopamine-lesioned rats with L-DOPA or quinpirole results in an increase in dopamine D_1 receptor-dependent cyclic AMP production in striatal tissue (331) 23
Probst, J.C., see Schöbitz, B. (331) 97

Rao, V.S.N., see Santos, F.A. (331) 253
Rascher, W., see Dötsch, J. (331) 313
Reed, R.K., see Koller, M.-E. (331) 259
Reul, J.M.H.M., see Schöbitz, B. (331) 97
Rodt, S.Å., see Koller, M.-E. (331) 259
Rothe, K.S., see Stevens, C.W. (331) 15

Saleh, T.S.F., Calixto, J.B. and Medeiros, Y.S.
Pro-inflammatory effects induced by bradykinin in a murine model of pleurisy (331) 43
Santos, F.A. and Rao, V.S.N.
Mast cell involvement in the rat paw oedema response to 1,8-cineole, the main constituent of eucalyptus and rosemary oils (331) 253
Sasaki, H., see Fujii, S. (331) 9
Sawyer, W.H., see Ala, Y. (331) 285
Schöbitz, B., Pezeshki, G., Probst, J.C., Reul, J.M.H.M., Skutella, T., Stöhr, T., Holsboer, F. and Spanagel, R.
Centrally administered oligodeoxynucleotides in rats: occurrence of non-specific effects (331) 97
Schousboe, A., see Juhász, G. (331) 139
Seki, T., Naruse, M., Naruse, K., Yoshimoto, T., Tanabe, A., Imaki, T., Hagiwara, H., Hirose, S. and Demura, H.
Interrelation between nitric oxide synthase and heme oxygenase in rat endothelial cells (331) 87
Sekino, Y., see Fujii, S. (331) 9
Shalaby, I., see Menniti, F. (331) 117
Sherman, P., see Kilbourn, M. (331) 161
Shirayama, Y., Takahashi, K. and Nishikawa, T.
Uncompetitive inhibition of [^{3}H]1,3-di-*o*-tolyl-guanidine-defined σ binding sites by desipramine, propranolol and alprenolol in rat brain (331) 319
Siripurkpong, P., Harnyuttanakorn, P., Chindaduangratana, C., Kotchabhakdi, N., Wichyanuwat, P. and Casalotti, S.O.
Dexamethasone, but not stress, induce measurable changes of mitochondrial benzodiazepine receptor mRNA levels in rats (331) 227
Skutella, T., see Schöbitz, B. (331) 97
Slade, P.D., see Hagan, J.J. (331) 169
Spanagel, R., see Schöbitz, B. (331) 97
Stevens, C.W. and Rothe, K.S.
Supraspinal administration of opioids with selectivity for μ-, δ- and κ-opioid receptors produces analgesia in amphibians (331) 15
Stöhr, T., see Schöbitz, B. (331) 97
Stoof, J.C., see Pinna, A. (331) 23
Suzuki, T., Mori, T., Tsuji, M., Misawa, M. and Nagase, H.
The role of δ-opioid receptors in the discriminative stimulus properties of a low dose of methamphetamine (331) 1
Szabó, G., see Kovács, A.D. (331) 93
Székely, J.I., see Fekete, M.I.K. (331) 175
Szentkuti, E., see Fekete, M.I.K. (331) 175

Takahashi, K., see Shirayama, Y. (331) 319
Takahashi, K., see Takahashi, T. (331) 193
Takahashi, T., Tanikawa, S. and Takahashi, K.
Protective effects of CD-832 on organ damage in stroke-prone spontaneously hypertensive rats (331) 193
Tanabe, A., see Seki, T. (331) 87
Taniguchi, J., see Moriyama, N. (331) 39
Tanikawa, S., see Takahashi, T. (331) 193
Tribollet, E., see Ala, Y. (331) 285
Tripodi, J., see Homaidan, F.R. (331) 199
Tsuji, M., see Suzuki, T. (331) 1

Vaali, K., see Li, L. (331) 221
Vanderheyden, P.M.L., Van Liefde, I., De Backer, J.-P. and Vauquelin, G.
Non-competitive binding of the nonpeptide antagonist BIBP3226 to rat forebrain neuropeptide Y_1 receptors (331) 275
Van Liefde, I., see Vanderheyden, P.M.L. (331) 275
Vapaatalo, H., see Li, L. (331) 221
Vaudry, H., see Le Foll, F. (331) 303
Vauquelin, G., see Vanderheyden, P.M.L. (331) 275

Wanibuchi, H., see Hamaguchi, A. (331) 27
Watanabe, M., see Ishii, Y. (331) 295
Wernimont, A.K., see Hulkower, K.I. (331) 79
Westerberg, E., see Koller, M.-E. (331) 259
Wheller, S.K. and Perretti, M.
Dexamethasone inhibits cytokine-induced intercellular adhesion molecule-1 up-regulation on endothelial cell lines (331) 65
White, F., see Menniti, F. (331) 117
Wichyanuwat, P., see Siripurkpong, P. (331) 227
Widjaja-Greefkes, H.C.A., see Jager, L.P. (331) 325
Wiklund, N.P., see Iversen, H.H. (331) 213
Wo, N.C., see Ala, Y. (331) 285

Xu, J., see King, M. (331) R5
Xu, L., see Kula, N.S. (331) 333

Yaksh, T.L., see Dirig, D.M. (331) 155
Yamazaki, S., see Moriyama, N. (331) 39
Yoshimoto, T., see Seki, T. (331) 87

Zhao, L., see Homaidan, F.R. (331) 199
Zídek, Z., Holý, A. and Franková, D.
Antiretroviral agent (R)-9-(2-phosphonomethoxypropyl)adenine stimulates cytokine and nitric oxide production (331) 245